U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-268 334

Twin Buttes Reservoir
Tom Green County, Texas

National Eutrophication Survey, Corvallis, Oreg

Prepared for

Corvallis Environmental Research Lab, Oreg

Mar 77

PB 268 334

U.S. ENVIRONMENTAL PROTECTION AGENCY
NATIONAL EUTROPHICATION SURVEY

WORKING PAPER SERIES

CORVALLIS ENVIRONMENTAL RESEARCH LABORATORY - CORVALLIS, OREGON
and
ENVIRONMENTAL MONITORING & SUPPORT LABORATORY - LAS VEGAS, NEVADA

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

Report
on
Twin Buttes Reservoir
Tom Green County
Texas
EPA Region VI
Working Paper No. 666

With the cooperation of the
Texas Water Quality Board
and the
Texas National Guard
March 1977

CONTENTS

	Page
Foreward	ii
List of Texas Study Reservoirs	iv
Lake and Drainage Area Map	vi

Sections

I. Conclusions	1
II. Lake and Drainage Basin Characteristics	4
III. Lake Water Quality Summary	8
IV. Nutrient Loadings	11
V. Literature Reviewed	15
VI. Appendices	16

FOREWORD

The National Eutrophication Survey was initiated in 1972 in response to an Administration commitment to investigate the nationwide threat of accelerated eutrophication to freshwater lakes and reservoirs.

OBJECTIVES

The Survey was designed to develop, in conjunction with state environmental agencies, information on nutrient sources, concentrations, and impact on selected freshwater lakes as a basis for formulating comprehensive and coordinated national, regional, and state management practices relating to point-source discharge reduction and non-point source pollution abatement in lake watersheds.

ANALYTIC APPROACH

The mathematical and statistical procedures selected for the Survey's eutrophication analysis are based on related concepts that:

a. A generalized representation or model relating sources, concentrations, and impacts can be constructed.

b. By applying measurements of relevant parameters associated with lake degradation, the generalized model can be transformed into an operational representation of a lake, its drainage basin, and related nutrients.

c. With such a transformation, an assessment of the potential for eutrophication control can be made.

LAKE ANALYSIS

In this report, the first stage of evaluation of lake and watershed data collected from the study lake and its drainage basin is documented. The report is formatted to provide state environmental agencies with specific information for basin planning [§303(e)], water quality criteria/standards review [§303(c)], clean lakes [§314(a,b)], and water quality monitoring [§106 and §305(b)] activities mandated by the Federal Water Pollution Control Act Amendments of 1972.

TECHNICAL REPORT DATA

1. REPORT NO.: 16

3. RECIPIENT'S ACCESSION NO.:

4. TITLE AND SUBTITLE: Reports on Twin Buttes Reservoir, Tom Green County, Texas

5. REPORT DATE: Prepared March 1977

6. PERFORMING ORGANIZATION CODE:

7. AUTHOR(S): Anonymous (National Eutrophication Survey Staff)

8. PERFORMING ORGANIZATION REPORT NO.: Working Paper # 666

9. PERFORMING ORGANIZATION NAME AND ADDRESS:
National Eutrophication Survey
U.S. Environmental Protection Agency
200 S. W. 35th St.
Corvallis, Oregon 97330

10. PROGRAM ELEMENT NO.:

11. CONTRACT/GRANT NO.:

12. SPONSORING AGENCY NAME AND ADDRESS:
Office of Research and Development
U.S. Environmental Protection Agency
401 M Street, S. W.
Washington, DC 20460

13. TYPE OF REPORT AND PERIOD COVERED: Final - 1974

14. SPONSORING AGENCY CODE:

15. SUPPLEMENTARY NOTES:
Prepared in cooperation with the U.S. Environmental Protection Agency, National Environmental Research Center, Las Vegas, Nevada 89114

16. ABSTRACT:

Annual total phosphorus and total nitrogen loadings to the lake were estimated and subdivided according to either point or non-point source origin. An assessment of the lake's trophic condition and limiting nutrient is also provided. All data collected by the U.S.E.P.A. National Eutrophication Survey during the one year study of the lake and its tributaries are included in the report.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
eutrophication lakes nutrients phosphorus nitrogen loading		05B 05C

18. DISTRIBUTION STATEMENT: Release unlimited

19. SECURITY CLASS (This Report): 21. NO. OF PAGES: 46

20. SECURITY CLASS (This Page): 22. PRICE: PC A03 / MF A01

EPA Form 2220-1 (9-73)

Beyond the single lake analysis, broader based correlations between nutrient concentrations (and loading) and trophic condition are being made to advance the rationale and data base for refinement of nutrient water quality criteria for the Nation's fresh water lakes. Likewise, multivariate evaluations for the relationships between land use, nutrient export, and trophic condition, by lake class or use, are being developed to assist in the formulation of planning guidelines and policies by EPA and to augment plans implementation by the states.

ACKNOWLEDGEMENT

The staff of the National Eutrophication Survey (Office of Research & Development, U. S. Environmental Protection Agency) expresses sincere appreciation to the Texas Water Quality Board for professional involvement, to the Texas National Guard for conducting the tributary sampling phase of the Survey, and to those Texas wastewater treatment plant operators who voluntarily provided effluent samples.

Hugh C. Yantis, Jr., Executive Director of the Texas Water Quality Board, and John B. Latchford, Jr., Director, and the staff of the Field Operations Division provided invaluable lake documentation and counsel during the Survey, reviewed the preliminary reports, and provided critiques most useful in the preparation of this Working Paper series.

Major General Thomas Bishop, the Adjutant General of Texas, and Project Officer Colonel William L. Seals, who directed the volunteer efforts of the Texas National Guardsmen, are also gratefully acknowledged for their assistance to the Survey.

NATIONAL EUTROPHICATION SURVEY

STUDY RESERVOIRS

State of Texas

NAME	COUNTY
Amistad	Val Verde
Bastrop	Bastrop
Belton	Bell, Coryell
Braunig	Bexar
Brownwood	Brown
Buchanan	Burnet, Llano
Caddo	Harrison, Marion, TX; Caddo Parish, LA
Calaveras	Bexar
Canyon	Comal
Colorado City	Mitchell
Corpus Christi	Jim Wells, Live Oak, San Patricio
Diversion	Archer, Baylor
Eagle Mountain	Tarrant, Wise
Fort Phantom Hill	Jones
Houston	Harris
Kemp	Baylor
Lake O'The Pines	Camp, Marion, Morris, Upshur
Lavon	Collin
Lewisville (Garza-Little Elm)	Denton
Livingston	Polk, San Jacinto, Trinity, Walker

Lyndon B. Johnson	Burnet, Llano
Medina	Bandera, Medina
Meredith	Hutchinson, Moore, Potter
O. C. Fisher (San Angelo)	Tom Green
Palestine	Anderson, Cherokee, Henderson, Smith
Possum Kingdom	Palo Pinto, Stephens, Young
Sam Rayburn	Angelina, Jasper Nacogdoches, Sabine, San Augustine
Somerville	Burleson, Lee, Washington
E. V. Spence	Coke
Stamford	Haskell
Stillhouse Hollow	Bell
Tawakoni	Hunt, Rains, Van Zandt
Texoma	Cooke, Grayson TX; Bryan, Johnston, Love, Marshall, OK
Travis	Burnet, Travis
Trinidad	Henderson
Twin Buttes	Tom Green
White River	Crosby
Whitney	Bosque, Hill
Wright Patman (Texarkana)	Bowie, Cass



TWIN BUTTES RESERVOIR
STORET NO. 4837

I. CONCLUSIONS

A. Trophic Condition:

Survey data indicate that Twin Buttes Reservoir is eutrophic; i.e., well supplied with nutrients and quite productive. Whether nutrient enrichment is beneficial or deleterious depends on the actual or potential effect on the uses of the reservoir. In this regard, no nuisance conditions are known to personnel of the Texas Water Quality Board and there is little or no impairment of the designated beneficial uses of this water body.

Twin Buttes Reservoir ranked nineteenth in overall trophic quality when the 39 Texas reservoirs sampled in 1974 were compared using a combination of six parameters*. Fifteen of the reservoirs had less and one had the same median total phosphorus, 11 had less and six had the same median dissolved phosphorus, 29 had less and two had the same median inorganic nitrogen, 15 had less mean chlorophyll a, and 16 had greater mean Secchi disc transparency. Marked depression of dissolved oxygen with depth occurred at sampling stations 1 and 2 in August.

Survey limnologists did not observe macrophytes or surface concentrations of algae in the reservoir.

---

* See Appendix A.

B. Rate-Limiting Nutrient:

The results of the algal assay indicate Twin Buttes Reservoir was phosphorus limited at the time the sample was taken (03/04/74). The reservoir data indicate phosphorus limitation in March and May but nitrogen limitation in October.

C. Nutrient Controllability:

1. Point sources--No known municipal or industrial point sources impacted Twin Buttes Reservoir during the sampling year.

There are no lakeshore septic tanks because construction of shoreline dwellings is prohibited*.

Based on the reservoir morphometry at the conservation-pool level, the present phosphorus loading of 0.04 $g/m^2/yr$ is a little less than that proposed by Vollenweider (Vollenweider and Dillon, 1974) as an oligotrophic loading (see page 14). However, records for water year 1975 (October 1, 1974, through September 30, 1975) show that the mean reservoir content was less than the conservation pool capacity**. Therefore, the actual areal loading could have been greater than the indicated 0.04 g/m^2.

2. Non-point sources--The entire phosphorus input to Twin Buttes Reservoir was contributed by non-point sources during the sampling year. The Middle Concho River contributed 10.3% of the total; the South Concho River, 18.7%; and Spring Creek added 16.5%. The minor tributaries and immediate drainage contributed an estimated 13.2%.

*Koederitz, 1976.
** Anonymous, 1976.

The phosphorus export rates of the three tributaries were less than 1 kg/km^2/yr (see page 13) and compare well with the rate of the North Concho River, a tributary of nearby O. C. Fisher Reservoir* (also less than 1 kg/km^2/yr).

* Working Paper No. 656.

II. RESERVOIR AND DRAINAGE BASIN CHARACTERISTICS†

A. Morphometry (at conservation-pool level)††:

1. Surface area: 38.50 kilometers².
2. Mean depth: 6.3 meters.
3. Maximum depth: ±13.1 meters.
4. Volume: 229,676 x 10^3 m³.
5. Mean hydraulic retention time: 14.9 years (based on outflow).

B. Tributary and Outlet:
(See Appendix C for flow data)

1. Tributaries -

Name	Drainage area (km²)*	Mean flow (m³/sec)*
Middle Concho River	3,570.8	0.205
South Concho River	922.0	0.420
Spring Creek	1,025.6	0.324
Minor tributaries & immediate drainage -	1,033.2	0.296
Totals	6,557.6	1.245

2. Outlet -

Middle Concho River	6,594.1**	0.489**

C. Precipitation***:

1. Year of sampling: 63.8 centimeters.
2. Mean annual: 44.5 centimeters.

† Table of metric conversions--Appendix B.
†† Anonymous, 1975.
* For limits of accuracy, see Working Paper No. 175, "...Survey Methods, 1973-1976".
** Includes area of reservoir; lesser outflow due to evaporation (Yost, 1976).
*** See Working Paper No. 175.

III. WATER QUALITY SUMMARY

Twin Buttes Reservoir was sampled four times in 1974 by means of a pontoon-equipped Huey helicopter. Each time, samples for physical and chemical parameters were collected from a number of depths at three stations on the reservoir (see map, page vi). During each visit, a single depth-integrated (4.6 m to surface) sample was composited from the stations for phytoplankton identification and enumeration; and during the first visit, a single 18.9-liter depth-integrated sample was composited for algal assays. Also each time, a depth-integrated sample was collected from each of the stations for chlorophyll a analysis. The maximum depths sampled were 13.1 meters at station 1, 12.8 meters at station 2, and 7.3 meters at station 3.

The sampling results are presented in full in Appendix B and are summarized in the following table (the August nutrient samples were not preserved properly and were not analyzed).

[redacted]

[illegible]

[illegible]

[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	17.3 - 36.7	28.4	28.5
[illegible]	3.2 - 7.2	5.7	5.8
[illegible]	772. - 418.	388.	392.
[illegible]	7.6 - 7.9	7.8	7.7
[illegible]	182. - 284.	235.	234.
[illegible]	0.837 - 0.882	0.851	0.844
[illegible]	0.823 - 0.854	0.838	0.839
[illegible]	0.238 - 0.298	0.256	0.250
[illegible]	0.839 - 0.948	0.892	0.890
[illegible]	0.488 - 0.488	0.523	0.588
[illegible]	0.240 - 0.438	0.332	0.298
[illegible]	0.468 - 0.678	0.773	0.778
[illegible]	7.2 - 11.3	8.4	8.4
[illegible]	8.9 - 1.2	1.1	1.2

B. Biological characteristics:

1. Phytoplankton -

Sampling Date	Dominant Genera	Algal Units per ml
03/04/74	1. Scenedesmus sp.	1,650
	2. Synedra sp.	1,317
	3. Ankistrodesmus sp.	809
	4. Oocystis sp.	324
	5. Chrysophytan cells	194
	Other genera	1,403
	Total	5,697
05/15/74	1. Scenedesmus sp.	1,594
	2. Chroomonas sp.	1,593
	3. Ankistrodesmus sp.	474
	4. Raphidiopsis sp.	271
	5. Pediastrum sp.	237
	Other genera	848
	Total	5,017
08/05/74	1. Raphidiopsis sp.	13,884
	2. Flagellates	1,065
	3. Synedra sp.	506
	4. Merismopedia sp.	469
	5. Carteria sp.	430
	Other genera	2,147
	Total	18,241
10/29/74	1. Cryptomonas sp.	977
	2. Chroococcus sp.	621
	3. Centric diatoms	396
	4. Ankistrodesmus sp.	283
	5. Dactylococcopsis sp.	255
	Other genera	481
	Total	3,113

B. Chlorophyll a -

Sampling Date	Station Number	Chlorophyll a (µg/l)
03/04/74	1	6.4
	2	5.8
	3	3.2
05/15/74	1	4.6
	2	7.7
	3	8.0
08/05/74	1	13.7
	2	12.4
	3	16.2
10/29/74	1	8.0
	2	7.2
	3	11.3

C. Limiting Nutrient Study:

1. Autoclaved, filtered, and nutrient spiked -

Spike (mg/l)	Ortho P Conc. (mg/l)	Inorganic N Conc. (mg/l)	Maximum yield (mg/l-dry wt.)
Control	<0.005	0.290	0.1
0.050 P	<0.055	0.290	6.4
0.050 P + 1.0 N	<0.055	1.290	14.9
1.0 N	<0.005	1.290	0.1

2. Discussion -

The control yield of the assay alga, Selenastrum capricornutum, indicates that the potential primary productivity of Twin Buttes Reservoir was low at the time the sample was collected (03/04/74). No significant growth response occurred

when only nitrogen was added, but there was an increase in yield when only phosphorus was added. These results indicate the reservoir was phosphorus limited at that time.

The reservoir data indicate phosphorus limitation in March and May but nitrogen limitation in October. The mean inorganic nitrogen to orthophosphorus ratios at those times were 32 to 1, 32 to 1, and 10 to 1, respectively.

IV. NUTRIENT LOADINGS
(See Appendix E for data)

For the determination of nutrient loadings, the Texas National Guard collected monthly near-surface grab samples from each of the tributary sites indicated on the map (page vi), except for the high runoff months of April and May when two samples were collected. Sampling was begun in September, 1974, and was completed in August, 1975.

Through an interagency agreement, stream flow estimates for the year of sampling and a "normalized" or average year were provided by the Texas District Office of the U.S. Geological Survey for the tributary sites nearest the reservoir.

In this report, nutrient loads for sampled tributaries were determined by using a modification of a U.S. Geological Survey computer program for calculating stream loadings*. Nutrient loads for unsampled "minor tributaries and immediate drainage" ("ZZ" of U.S.G.S.) were estimated using the means of the nutrient loads, in $kg/km^2/year$, at stations A-2, B-2, and D-1 and multiplying the means by the ZZ area in km^2.

No known wastewater treatment facilities impacted Twin Buttes Reservoir during the sampling year.

* See Working Paper No. 175.

A. Waste Sources:

1. Known municipal - None

2. Known industrial - None

B. Annual Total Phosphorus Loading - Average Year:

1. Inputs -

Source	kg P/ yr.	% of total
a. Tributaries (non-point load) -		
Middle Concho River	160	10.3
South Concho River	290	18.7
Spring Creek	255	16.5
b. Minor tributaries & immediate drainage (non-point load) -	205	13.2
c. Known municipal STP's - None	-	-
d. Septic tanks - None	-	-
e. Known industrial - None	-	-
f. Direct precipitation* -	640	41.3
Total	1,550	100.0

2. Outputs -

Lake outlet - Middle Concho River 625

3. Net annual P accumulation - 925 kg.

* See Working Paper No. 175.

C. Annual Total Nitrogen Loading - Average Year:

1. Inputs -

Source	kg N/yr	% of total
a. Tributaries (non-point load) -		
Middle Concho River	10,020	9.0
South Concho River	15,455	13.9
Spring Creek	29,245	26.3
b. Minor tributaries & immediate drainage (non-point load) -	16,875	15.2
c. Known municipal STP's - None	-	-
d. Septic tanks - None	-	-
e. Known industrial - None	-	-
f. Direct precipitation* -	39,405	35.4
Total	111,200	100.0

2. Outputs -

Lake outlet - Middle Concho River 16,470

3. Net annual N accumulation - 94,730 kg.

D. Non-point Nutrient Export by Subdrainage Area:

Tributary	kg P/km²/yr	kg N/km²/yr
Middle Concho River	<0.1	3
South Concho River	0.3	17
Spring Creek	0.2	29

E. Mean Nutrient Concentrations in Ungaged Stream:

Tributary	Mean Total P Conc. (mg/l)	Mean Total N Conc. (mg/l)
Dove Creek	0.016	3.357

* See Working Paper No. 175.

F. Yearly Loads:

In the following table, the existing phosphorus loadings are compared to those proposed by Vollenweider (Vollenweider and Dillon, 1974). Essentially, his "dangerous" loading is one at which the receiving water would become eutrophic or remain eutrophic; his "permissible" loading is that which would result in the receiving water remaining oligotrophic or becoming oligotrophic if morphometry permitted. A mesotrophic loading would be considered one between "dangerous" and "permissible".

Note that Vollenweider's model may not be applicable to water bodies with short hydraulic retention times.

	Total Phosphorus		Total Nitrogen	
	Total	Accumulated	Total	Accumulated
grams/m^2/yr	0.04	0.03	3.0	2.5

Vollenweider phosphorus loadings ($g/m^2/yr$) based on mean depth and mean hydraulic retention time of Twin Buttes Reservoir at conservation-pool level:

"Dangerous" (eutrophic loading)	0.12
"Permissible" (oligotrophic loading)	0.06

V. LITERATURE REVIEWED

Anonymous, 1975. Water resources data for Texas: Part 1. Surface water records. U.S. Geol. Surv., Austin.

Anonymous, 1976. Water resources data for Texas, water year 1975. Water Data Rept. TX-75-1, vol. 3, U.S. Geol. Surv., Austin.

Koederitze, Thomas (Supt.) 1976. Personal communication (lakeshore development). Water Department, San Angelo.

Vollenweider, R. A., and P. J. Dillon, 1974. The application of the phosphorus loading concept to eutrophication research. Natl. Res. Council of Canada Publ. No. 13690, Canada Centre for Inland Waters, Burlington, Ontario.

Yost, I. D., 1976. Personal communication (estimate of evaporation from central Texas lakes). U.S. Geol. Surv., Austin.

VI. APPENDICES

APPENDIX A

LAKE RANKINGS

LAKE DATA TO BE USED IN [illegible]

LAKE CODE	LAKE NAME	[illegible] TOTAL *	[illegible] INFO *	[illegible] [illegible] SEC	[illegible] [illegible]	[illegible] [illegible]	[illegible] [illegible] *
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] RESERVOIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	LAKE [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] RESERVOIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	LAKE [illegible] CITY	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] [illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] RESERVOIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] & [illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	LAKE [illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] RESERVOIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] RESERVOIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] RESERVOIR	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible] DATA TO BE USED IN [illegible]

LAKE CODE	LAKE NAME	[illegible] TOTAL P	[illegible] DISS P	SRP [illegible] SEC	[illegible] CHLPH	Zv [illegible] M	[illegible] 2035 DATUM P
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible] LAKE	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

PERCENT OF LAKES WITH HIGHER VALUES NUMBER OF LAKES WITH HIGHER VALUES

LAKE CODE	LAKE NAME	[illegible] TOTAL P	[illegible] DISPOS %	[illegible] MINE SEC	[illegible] CHLOR	[illegible] 40% LO	[illegible] DISS SATMO P	[illegible] NO	[illegible]
[illegible]	[illegible] LAKE	46 (34)	5 (2)	108 (38)	186 (28)	39 (14)	63 (23)	482	
[illegible]	[illegible] LAKE	76 (33)	74 (28)	62 (31)	47 (18)	17 (8)	92 (34)	343	
[illegible]	[illegible] RESERVOIR	92 (35)	26 (10)	97 (37)	68 (26)	17 (8)	84 (33)	384	
[illegible]	[illegible] LAKE	5 (2)	42 (16)	58 (19)	3 (3)	48 (17)	5 (2)	159	
[illegible]	[illegible] LAKE	66 (25)	78 (29)	29 (11)	87 (33)	58 (22)	84 (33)	394	
[illegible]	[illegible]	47 (18)	21 (7)	74 (28)	63 (24)	17 (8)	39 (14)	261	
[illegible]	[illegible] LAKE	26 (10)	91 (33)	42 (16)	32 (12)	76 (29)	38 (14)	297	
[illegible]	[illegible] LAKE	45 (17)	188 (38)	47 (18)	11 (4)	67 (26)	92 (34)	342	
[illegible]	[illegible] RESERVOIR	98 (37)	8 (3)	95 (36)	97 (37)	48 (17)	97 (37)	446	
[illegible]	[illegible]	39 (14)	76 (29)	26 (10)	42 (16)	88 (33)	39 (14)	330	
[illegible]	[illegible]	8 (3)	47 (18)	18 (7)	13 (5)	61 (23)	8 (3)	155	
[illegible]	[illegible] LAKE	68 (26)	83 (31)	32 (12)	29 (11)	97 (37)	63 (23)	372	
[illegible]	[illegible]	71 (27)	94 (33)	34 (13)	79 (30)	79 (30)	76 (28)	433	
[illegible]	[illegible]	24 (9)	66 (25)	21 (8)	74 (28)	95 (36)	18 (6)	298	
[illegible]	[illegible]	34 (13)	13 (5)	16 (6)	34 (13)	55 (21)	21 (7)	173	
[illegible]	[illegible]	78 (29)	61 (23)	55 (21)	55 (21)	84 (32)	92 (34)	423	
[illegible]	[illegible]	16 (6)	16 (6)	8 (3)	24 (9)	92 (35)	11 (4)	139	
[illegible]	[illegible]	54 (20)	78 (29)	66 (25)	39 (15)	17 (8)	46 (17)	248	
[illegible]	[illegible]	21 (8)	29 (11)	3 (3)	84 (32)	100 (38)	21 (7)	258	
[illegible]	[illegible]	3 (3)	3 (3)	36 (15)	26 (10)	17 (8)	3 (3)	91	
[illegible]	[illegible]	38 (14)	11 (4)	53 (20)	66 (25)	78 (29)	38 (15)	230	
[illegible]	[illegible]	68 (25)	8 (8)	69 (26)	37 (14)	17 (8)	100 (38)	342	
[illegible]	[illegible]	82 (31)	91 (33)	71 (27)	95 (36)	38 (14)	63 (23)	441	
[illegible]	[illegible]	94 (38)	32 (12)	63 (24)	53 (20)	48 (17)	51 (19)	382	
[illegible]	[illegible]	74 (28)	91 (33)	84 (32)	58 (22)	17 (8)	63 (23)	367	
[illegible]	[illegible]	13 (5)	46 (17)	8 (3)	8 (8)	88 (33)	46 (17)	209	
[illegible]	[illegible]	59 (23)	38 (15)	68 (26)	76 (29)	17 (8)	63 (23)	340	
[illegible]	[illegible]	58 (22)	42 (16)	46 (17)	98 (36)	17 (8)	76 (28)	321	

PERCENT OF LAKES WITH HIGHER VALUES PERCENT OF LAKES WITH HIGHER VALUES

LAKE CODE	LAKE NAME	[illegible] TOTAL P	[illegible] INORG N	[illegible] ALGAL SEC	[illegible] CHLOPH	[illegible] ALGA DO	[illegible] SECCHI DEPTH P	[illegible] NO
429	[illegible] LAKE	29 (119)	55 (231)	24 (99)	3 (12)	67 (282)	28 (124)	284
430	[illegible] LAKE	18 (75)	74 (311)	5 (20)	18 (75)	82 (333)	39 (160)	259
431	[illegible]	66 (333)	37 (160)	67 (333)	92 (385)	17 (69)	51 (198)	332
432	[illegible] LAKE	32 (129)	78 (286)	37 (154)	21 (89)	63 (264)	38 (160)	252
433	[illegible] LAKE	11 (43)	51 (198)	13 (56)	16 (69)	72 (279)	13 (52)	176
434	[illegible] LAKE	39 (164)	34 (139)	61 (239)	46 (179)	17 (69)	27 (73)	217
435	[illegible] LAKE	68 (339)	21 (73)	92 (354)	82 (333)	17 (69)	84 (333)	285
436	[illegible]	8 (40)	61 (239)	11 (44)	5 (20)	92 (369)	8 (40)	169
437	[illegible] LAKE	59 (259)	21 (73)	58 (259)	61 (239)	44 (179)	63 (253)	311
438	[illegible] LAKE	34 (139)	61 (239)	76 (286)	89 (344)	17 (69)	63 (253)	248
439	[illegible] LAKE	63 (264)	51 (198)	76 (339)	71 (279)	17 (69)	76 (306)	357

LAKES RANKED BY [illegible]

RANK	LAKE CODE	LAKE NAME	[illegible]
1	[illegible]	[illegible]	[illegible]
2	[illegible]	[illegible]	[illegible]
3	[illegible]	[illegible]	[illegible]
4	[illegible]	[illegible]	[illegible]
5	[illegible]	[illegible]	[illegible]
6	[illegible]	[illegible]	[illegible]
7	[illegible]	[illegible]	[illegible]
8	[illegible]	[illegible]	[illegible]
9	[illegible]	[illegible]	[illegible]
10	[illegible]	[illegible]	[illegible]
11	[illegible]	[illegible]	[illegible]
12	[illegible]	[illegible]	[illegible]
13	[illegible]	[illegible]	[illegible]
14	[illegible]	[illegible]	[illegible]
15	[illegible]	[illegible]	[illegible]
16	[illegible]	[illegible]	[illegible]
17	[illegible]	[illegible]	[illegible]
18	[illegible]	[illegible]	[illegible]
19	[illegible]	[illegible]	[illegible]
20	[illegible]	[illegible]	[illegible]
21	[illegible]	[illegible]	[illegible]
22	[illegible]	[illegible]	[illegible]
23	[illegible]	[illegible]	[illegible]
24	[illegible]	[illegible]	[illegible]
25	[illegible]	[illegible]	[illegible]
26	[illegible]	[illegible]	[illegible]
27	[illegible]	[illegible]	[illegible]
28	[illegible]	[illegible]	[illegible]

LAKES RANKED BY INDEX NOS.

RANK	LAKE CODE	LAKE NAME	INDEX NO
29	4425	LYNDON B JOHNSON LAKE	239
30	4424	TEXOMA LAKE	237
31	4429	GRAPEVILLE LAKE	206
32	4426	SAN ANGELO RESERVOIR	200
33	4433	ISSAQUENA LAKE	176
34	4435	CARTER LITTLE ELM RESERVO	173
35	4434	TAWAKONI	164
36	4404	BRAZOS LAKE	159
37	4431	CORPUS CHRISTI LAKE	155
38	4437	HOUSTON LAKE	139
39	4438	LIVINGSTON LAKE	91

CONVERSION FACTORS

Hectares x 2.471 = acres

Kilometers x 0.6214 = miles

Meters x 3.281 = feet

Cubic meters x 8.107 x 10^{-4} = acre/feet

Square kilometers x 0.3861 = square miles

Cubic meters/sec x 35.315 = cubic feet/sec

Centimeters x 0.3937 = inches

Kilograms x 2.205 = pounds

Kilograms/square kilometer x 5.711 = lbs/square mile

APPENDIX C

TRIBUTARY FLOW DATA

LAKE CODE 4577 TWO RATES REQ.

TOTAL DRAINAGE AREA OF LAKE(S) = 659.1

TRIBUTARY	SUB-DRAINAGE AREA(S)	JAN	FEB	MAR	APR	MAY	NORMALIZED FLOW(CMS) JUN	JUL	AUG	SEP	OCT	NOV	DEC	MEAN
45741	659.1	5.45	5.46	5.539	5.34	5.261	5.459	5.793	5.599	5.823	5.538	5.743	5.651	5.648
45742	552.8	5.243	5.262	5.351	5.272	5.193	5.346	5.111	5.164	5.313	5.147	5.257	5.242	5.285
45742	651.8	5.31	5.26	5.38	5.34	5.57	5.74	5.19	5.57	5.79	5.31	5.31	5.31	5.42
45751	1125.6	2.688	5.119	5.185	5.311	5.261	5.119	5.088	2.168	5.251	5.138	5.113	5.182	5.329
45742	1984.7	5.159	5.154	5.258	5.263	5.196	5.346	5.679	5.341	5.445	5.341	5.264	5.196	5.268

SUMMARY

TOTAL DRAINAGE AREA OF LAKE = 659.1
SUM OF SUB-DRAINAGE AREAS = 659.1

TOTAL FLOW IN = 14.89
TOTAL FLOW OUT = 5.87

NEAR-HORIZONTAL FLOWS AND DAILY FLOW(CMS)

TRIBUTARY	HOUR	YEAR	HOUR FLOW	DAY	FLOW	DAY	FLOW	DAY	FLOW
45741	9	74	8.217	7	1.264				
	10	74	8.629	5	8.8				
	11	74	8.483	2	59.639				
	12	74	8.656	7	59.634				
	1	75	8.258	4	38.412				
	2	75	7.873	1	14.422				
	3	75	3.344	2	2.494				
	4	75	1.917	6	2.322	28	1.133		
	5	75	24.158	4	1.171	25	8.679		
	6	75	2.832	22	1.366				
	7	75	1.445	28	2.322				
	8	75	1.696	3	1.484				
45742	9	74	13.416	7	8.811				
	10	74	18.275	5	2.159				
	11	74	3.387	2	4.196				
	12	74	1.671	7	1.462				
	1	75	1.246	4	1.418				
	2	75	1.154	1	1.366				
	3	75	8.743	2	1.818				
	4	75	8.586	6	8.651	28	8.518		
	5	75	1.574	1	8.425	25	8.858		
	6	75	8.311	27	8.218				
	7	75	8.154	28	8.281				
	8	75	8.218	2	8.322				

APPENDIX D

PHYSICAL and CHEMICAL DATA

APPENDIX E

TRIBUTARY DATA

[illegible]

[illegible]

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
FROM	OF		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TO	DAY	FEET	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	12	00	0.829	0.790	0.870	0.810	0.850
[illegible]	19	00	1.250	1.005	0.835	0.825	0.850
[illegible]	11	45	0.460	0.580	2.650	0.825	0.840
[illegible]	11	20	0.640	0.790	2.020	0.8050	0.820
[illegible]	11	00	0.480	0.100	0.825	0.810	0.830
[illegible]	14	00	0.470	0.950	1.025	0.815	0.820
[illegible]	16	15	0.500	1.290	0.870	0.805	0.810
[illegible]	15	45	0.370	2.480	0.240	0.810	0.840
[illegible]	14	00	0.220	0.680	0.815	0.8050	0.850
[illegible]	14	00	1.720	0.550	0.830	0.8050	0.850
[illegible]	14	30	0.810	1.100	0.310	0.810	0.830
[illegible]			0.820	0.480	0.100	0.810	0.840

A VALUE FROM TO BE
LESS THAN INDICATED

[illegible] RETRIEVAL DATE: 74/03/10

[illegible]
32 25 38.0 100 42 38.0 W
[illegible]
WELL 15 [illegible]
STATION WATTES RESERVOIR
[illegible]
[illegible] 2111E
WATER FEET DEPTH CLASS 00

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
FROM	OF		W-TOTAL	N	TOTAL	(ATM)	
TO	DAY	FEET	MG/L	MG/L	MG/L	MG/L P	MG/L P
74/03/07	09	30	0.824	0.590	0.815	0.818	0.838
74/10/05	09	45	5.841	1.100	0.825	0.805	0.825
74/11/52	08	05	1.841	0.748	0.823	0.842	
74/12/07	09	35	1.900L	0.445	0.819	0.809	0.830
75/01/04	09	45	[illegible]	1.100	0.832	0.805	0.825
75/01/07	12	15	2.500	0.700	0.820	0.827	0.828
75/04/08	14	30	1.300	0.700	0.835	0.805	0.810
75/04/22	14	07	0.480	0.450	0.825	0.804	0.806
75/05/04	11	00	0.340	0.250	0.825	0.805	0.826
75/05/25	15	40	0.300	0.440	0.820	0.805	0.840
75/06/22	13	00	0.810	0.440	0.845	0.805	0.826
75/08/01	13	15	0.805	0.250	0.815	0.810	0.816

L ACTUAL VALUE IS [illegible] TO OR
GREATER THAN VALUE GIVEN

E VALUE [illegible] IS OR
LESS THAN DETECTABLE

[illegible] MEMORIAL DATE [illegible]

[illegible]
[illegible]
[illegible]
[illegible]
[illegible]
[illegible]

DATE	TIME	DEPTH	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
PROP	SP		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
TO	DAY	FEET	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
[illegible]	[illegible]		[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

[illegible] VALUE FROM TO BE
LESS THAN INDICATED

[redacted]

[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							
[redacted]							

[redacted]

[redacted]

[illegible] RESERVOIR, DATE 7/[illegible]/[illegible]

[illegible]
31 19 45.0 100 39 29.0 4
SPRING CREEK
48 15 MILES NORTHEAST OF
TYRON BUTTES RESERVOIR
250 105 KILOMETERS SOUTH SOUTHWEST OF STERLING
COLORADO 2[illegible]
8000 FEET DEPTH 0.495 M

DATE FROM TO	TIME OF DAY	DEPTH FEET	[illegible] [illegible] TOTAL MG/L	[illegible] TOT KJEL N MG/L	[illegible] NO3+NO2 N TOTAL MG/L	[illegible] AMMONIA DISS NH3 MG/L	[illegible] AMMONIA DISS NH4 MG/L
74/06/07	10	15	0.625	1.000	0.625	0.005	0.240
74/10/05	09	15	0.450	0.400	0.015	0.0050	0.010
74/11/02	09	15	0.900	0.700	0.045	0.025	0.070
74/12/07	09	45	1.200L	0.950	0.575	0.0050	0.025
75/01/04	10	15	0.100	1.200	0.000	0.0050	0.0100
75/02/01	09	45	0.400	0.600	0.040	0.000	0.020
75/03/02	12	45	0.200	0.650	0.015	0.010	0.010
75/04/06	15	09	0.200	0.000	0.500	0.005	0.020
75/04/28	15	06	2.750	0.450	2.020	0.0050	0.5100
75/05/04	04	20	0.900	0.450	0.045	0.005	0.030
75/05/25	15	45	0.200	0.450	0.040	0.0050	0.040
75/07/25	15	00	0.500	0.400	0.020	0.0050	0.020
75/08/03	13	45	0.450	0.600	0.045	0.010	0.040

K VALUE KNOWN TO BE
LESS THAN INDICATED

L ACTUAL VALUE IS KNOWN TO BE
GREATER THAN VALUE GIVEN